
**Plastics — Determination of the melt
mass-flow rate (MFR) and melt volume-
flow rate (MVR) of thermoplastics —**

**Part 1:
Standard method**

*Plastiques — Détermination de l'indice de fluidité à chaud des
thermoplastiques, en masse (MFR) et en volume (MVR) —*

Partie 1: Méthode normale





COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Apparatus	3
5.1 Extrusion plastometer	3
5.2 Accessory equipment	7
6 Test sample	8
6.1 Sample form	8
6.2 Conditioning	8
7 Temperature verification, cleaning and maintenance of the apparatus	9
7.1 Verification of the temperature control system	9
7.2 Cleaning the apparatus	10
7.3 Vertical alignment of the instrument	10
8 Procedure A: mass-measurement method	10
8.1 Selection of temperature and load	10
8.2 Cleaning	10
8.3 Selection of sample mass and charging the cylinder	10
8.4 Measurements	11
8.5 Expression of results	12
9 Procedure B: displacement-measurement method	13
9.1 Selection of temperature and load	13
9.2 Cleaning	13
9.3 Minimum piston displacement distance	13
9.4 Selection of sample mass and charging the cylinder	13
9.5 Measurements	13
9.6 Expression of results	14
10 Flow rate ratio	15
11 Precision	16
12 Test report	16
Annex A (normative) Test conditions for MFR and MVR determinations	18
Annex B (informative) Conditions specified in International Standards for the determination of the melt flow rate of thermoplastic materials	19
Annex C (informative) Device and procedure for preforming a compacted charge of material by compression	20
Annex D (informative) Precision data for polypropylene obtained from an intercomparison of MFR and MVR testing	23
Bibliography	24