
**Steels — Determination of total silicon
contents — Reduced molybdsilicate
spectrophotometric method —**

Part 2:
**Silicon contents between 0,01 % and
0,05 %**

*Aciers — Détermination du silicium total — Méthode
spectrophotométrique au silicomolybdate réduit —*

Partie 2: Teneurs en silicium comprises entre 0,01 % et 0,05 %



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Principle	1
4 Reagents	1
5 Apparatus	3
6 Sampling	4
7 Procedure	4
7.1 Test portion.....	4
7.2 Blank test.....	4
7.3 Determination.....	4
7.3.1 Dissolution of the test portion.....	4
7.3.2 Treatment of insoluble residue.....	4
7.3.3 Preparation of the test solution.....	4
7.3.4 Development of the colour.....	5
7.3.5 Spectrophotometric measurements.....	5
7.4 Establishment of the calibration curve.....	6
7.4.1 Preparation of the calibration solutions.....	6
7.4.2 Spectrophotometric measurements.....	6
7.4.3 Plotting of the calibration curve.....	6
8 Expression of results	6
8.1 Method of calculation.....	6
8.2 Precision.....	7
9 Test report	7
Annex A (informative) Additional information on the interlaboratory test	9
Bibliography	10