

First edition  
2012-03-15

---

**Water quality — Determination of  
short-chain polychlorinated alkanes  
(SCCPs) in water — Method using gas  
chromatography-mass spectrometry  
(GC-MS) and negative-ion chemical  
ionization (NCI)**

*Qualité de l'eau — Détermination des alcanes polychlorés à chaîne  
courte (SCCP) dans l'eau — Méthode par chromatographie gazeuse-  
spectrométrie de masse (CG-SM) avec ionisation chimique négative (ICN)*



Reference number  
ISO 12010:2012(E)

© ISO 2012



## COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

ISO 12010:2012(E)

## Contents

|                                                                                                                 | Page      |
|-----------------------------------------------------------------------------------------------------------------|-----------|
| <b>Foreword</b>                                                                                                 | <b>iv</b> |
| <b>Introduction</b>                                                                                             | <b>v</b>  |
| 1 Scope                                                                                                         | 1         |
| 2 Normative references                                                                                          | 1         |
| 3 Principle                                                                                                     | 1         |
| 4 Interferences                                                                                                 | 2         |
| 5 Reagents and standards                                                                                        | 2         |
| 6 Apparatus                                                                                                     | 6         |
| 7 Sampling and sample pretreatment                                                                              | 7         |
| 8 Procedure                                                                                                     | 7         |
| 8.1 Extraction with liquid-liquid extraction method                                                             | 7         |
| 8.2 Extraction of samples with higher content of suspended matter                                               | 7         |
| 8.3 Extract clean-up                                                                                            | 8         |
| 8.4 Measurement and integration of the chromatogram                                                             | 9         |
| 8.5 Calibration                                                                                                 | 9         |
| 9 Expression of results                                                                                         | 12        |
| 10 Test report                                                                                                  | 12        |
| <b>Annex A (informative) Additional quality control check solutions</b>                                         | <b>13</b> |
| <b>Annex B (informative) Explanation of the calibration of the sum of SCCPs with multiple linear regression</b> | <b>14</b> |
| <b>Annex C (informative) Typical GC-MS conditions</b>                                                           | <b>19</b> |
| <b>Annex D (informative) Typical chromatograms of standard solutions 1 µg/ml</b>                                | <b>22</b> |
| <b>Annex E (informative) Presentation of goodness of fit</b>                                                    | <b>23</b> |
| <b>Annex F (informative) Example for recoveries of quality assurance solutions</b>                              | <b>24</b> |
| <b>Annex G (informative) Chromatogram of a real water sample with a sum of SCCPs concentration of 2,59 µg/l</b> | <b>25</b> |
| <b>Annex H (informative) Precision data</b>                                                                     | <b>27</b> |
| <b>Bibliography</b>                                                                                             | <b>28</b> |

