

INTERNATIONAL  
STANDARD

ISO  
13344

Third edition  
2015-12-15

---

---

## Estimation of the lethal toxic potency of fire effluents

*Détermination du pouvoir toxique létal des effluents du feu*



Reference number  
ISO 13344:2015(E)



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

	Page
Foreword .....	iv
Introduction .....	v
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Principle</b> .....	<b>2</b>
<b>5 Significance and use</b> .....	<b>2</b>
<b>6 Apparatus</b> .....	<b>3</b>
6.1 Physical fire model .....	3
6.2 Gas sampling .....	3
<b>7 Hazards</b> .....	<b>4</b>
<b>8 Test specimens</b> .....	<b>4</b>
<b>9 Calibration of the apparatus</b> .....	<b>4</b>
<b>10 Procedures</b> .....	<b>4</b>
10.1 General .....	4
10.2 Preparation for tests .....	5
10.3 Test procedure for obtaining data .....	5
<b>11 Calculations</b> .....	<b>5</b>
11.1 General .....	5
11.2 Calculation of FED .....	5
11.3 Calculation of predicted LC <sub>50</sub> .....	7
<b>12 Test report</b> .....	<b>8</b>
<b>13 Precision and bias</b> .....	<b>9</b>
<b>Annex A (informative) Optional bioassay for confirmation of predicted LC<sub>50</sub> values</b> .....	<b>10</b>
<b>Bibliography</b> .....	<b>13</b>