

---

**Water quality — Determination of  
orthophosphate and total phosphorus  
contents by flow analysis (FIA and  
CFA) —**

**Part 2:  
Method by continuous flow analysis  
(CFA)**

*Qualité de l'eau — Dosage des orthophosphates et du phosphore total  
par analyse en flux (FIA et CFA) —*

*Partie 2: Méthode par analyse en flux continu (CFA)*



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 0111  
Fax + 41 22 749 0947  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword .....	iv
Introduction .....	v
1 Scope .....	1
2 Normative references .....	1
3 Interferences .....	2
3.1 General interferences .....	2
3.2 Interferences in the determination of total-P .....	2
4 Principle .....	2
4.1 Determination of orthophosphate .....	2
4.2 Total phosphorus with manual digestion .....	3
4.3 Total phosphorus with integral UV digestion and hydrolysis .....	3
5 Reagents .....	3
6 Apparatus .....	7
6.1 Continuous-flow analysis (CFA) .....	7
6.2 Additional apparatus .....	7
6.3 Additional apparatus for the determination of total phosphorus after integral digestion .....	8
7 Sampling and sample preparation .....	8
8 Procedure .....	8
8.1 Preparation for analysis .....	8
8.2 Instrument performance check .....	8
8.3 Reagent blank check .....	9
8.4 Calibration .....	9
8.5 Check of UV digestion and hydrolysis for total P determination (see Figure A.2) .....	9
8.6 Measurement .....	10
8.7 Closing down the system .....	10
9 Calculation of results .....	10
10 Expression of results .....	10
11 Test report .....	10
Annex A (informative) Examples of a CFA system .....	12
Annex B (informative) Precision and accuracy .....	14
Annex C (informative) Determination of orthophosphate-P and total-P by CFA and tin(II) chloride reduction .....	15
Bibliography .....	16