
**Pneumatic fluid power —
Determination of flow-rate
characteristics of components using
compressible fluids —**

**Part 3:
Method for calculating steady-state
flow-rate characteristics of systems**

*Transmissions pneumatiques — Détermination des caractéristiques
de débit des composants —*

*Partie 3: Méthode de calcul des caractéristiques de débit stationnaire
des assemblages*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and units	1
5 Calculation hypotheses	2
5.1 General	2
5.2 Relationships among component flow-rate characteristics	3
5.3 Flow-rate characteristics	3
6 Organization of calculations for systems of components connected in series	6
6.1 General	6
6.2 Given parameters	7
6.3 Calculation principle	7
6.4 Calculation of the cracking pressure Δp_c (step 1)	7
6.5 Calculation of an initial value for their sonic conductance if some components are pipes, tubes or hoses defined by their friction factor (optional step 2)	7
6.6 Determination of the sonic conductance C (step 3)	8
6.7 Determining the critical back-pressure ratio b and subsonic index m (step 4)	10
6.8 Calculation of pressure dependence coefficient K_p (optional step 5)	11
7 Organization of calculations for systems of components connected in parallel	12
7.1 General	12
7.2 Given parameters	12
7.3 Calculation principle	12
7.4 Determination of flow characteristics of pipes, tubes or hoses for the given inlet pressure (step 0)	13
7.5 Determination of the sonic conductance C (step 1)	13
7.6 Determination of the cracking pressure Δp_c (step 2)	13
7.7 Determination of the critical back-pressure ratio b and subsonic index m (step 3)	13
Annex A (informative) Example calculation for a system of components connected in series	15
Annex B (informative) Example calculation for an air blow circuit whose components are connected in parallel	25
Annex C (informative) Flow charts of calculation procedures	32
Annex D (informative) Additional information concerning components whose flow rate characteristics are not expressed in accordance with the ISO 6358 series	41
Annex E (informative) Visualization of calculation results	53
Bibliography	59