



400 Commonwealth Drive, Warrendale, PA 15096-0001

# AEROSPACE STANDARD

**SAE** AS5127/1

**REV.**  
**A**

Issued 1997-05  
Revised 2002-03

Superseding AS5127/1

## Aerospace Standard Test Methods for Aerospace Sealants Two-Component Synthetic Rubber Compounds

### TABLE OF CONTENTS

1. SCOPE .....	5
2. REFERENCES .....	5
3. CLASSIFICATION .....	5
3.1 Classes .....	5
3.1.1 Class A.....	5
3.1.2 Class B.....	5
3.1.3 Class C .....	5
3.1.4 Class D .....	5
3.1.5 Class E.....	5
3.2 Application Time or Worklife .....	5
4. PREPARATION OF SEALING COMPOUND .....	6
4.1 Qualification Testing .....	6
4.2 Acceptance Testing .....	6
4.3 Quick-Freezing of Sealing Compound .....	6
4.4 Thawing of Quick-Frozen Sealing Compound .....	7
5. APPLICATION PROPERTIES TEST METHODS.....	9
5.1 Nonvolatile Content.....	9
5.2 Air Content (Class B Sealant Base Compound Only).....	9
5.3 Viscosity of Base Compound .....	11
5.4 Viscosity of the Curing Agent.....	12
5.5 Flow (Classes B, C and D).....	12
5.5.1 Classes B and D .....	12
5.5.2 Class C .....	14

SAE Technical Standards Board Rules provide that: "This report is published by SAE to advance the state of technical and engineering sciences. The use of this report is entirely voluntary, and its applicability and suitability for any particular use, including any patent infringement arising therefrom, is the sole responsibility of the user."

SAE reviews each technical report at least every five years at which time it may be reaffirmed, revised, or cancelled. SAE invites your written comments and suggestions.

Copyright 2002 Society of Automotive Engineers, Inc.  
All rights reserved.

Printed in U.S.A.

TO PLACE A DOCUMENT ORDER: (724) 776-4970    FAX: (724) 776-0790    SAE WEB ADDRESS: <http://www.sae.org>

**SAE AS5127/1 Revision A**

TABLE OF CONTENTS (Continued)

5.6	Application Time .....	14
5.6.1	Class A Material .....	14
5.6.2	Class B and C Material .....	16
5.7	Assembly Time (Class C Only) .....	16
5.8	Tack-Free Time .....	18
5.9	Standard Curing .....	18
5.10	Low-Temperature Cure Time (Classes A and B Only) .....	18
5.11	Fluid Immersion Cure Time (Classes A-1/4, A-1/2, B-1/4 and B-1/2 Only) .....	18
5.12	Soluble Chromate Level .....	19
5.12.1	Extraction .....	19
5.12.2	Titration .....	19
5.12.3	Calculation .....	19
5.12.4	Alternate Tests for Soluble Chromate .....	19
6.	PERFORMANCE PROPERTIES TEST METHODS .....	20
6.1	Specific Gravity .....	20
6.2	14-Day Hardness .....	20
6.3	Radiographic Density .....	20
6.3.1	Preparation of Test Panels .....	20
6.3.2	Application of Sealant .....	20
6.3.3	Test Procedure .....	20
6.4	Resistance to Thermal Expansion .....	21
6.5	Heat Reversion Resistance (Classes B and C Only) .....	21
6.6	Hydrolytic Stability .....	24
6.7	Shaving and Sanding (Class B Only) .....	24
6.8	Paintability .....	24
6.9	Weathering .....	25
7.	RESISTANCE TO HYDROCARBONS .....	26
7.1	Chalking .....	26
7.2	Resistance to Thermal Rupture .....	26
7.3	Fluid Rupture Resistance (Classes B-1/4 and B-1/2 Only) .....	27
7.4	Weight Loss and Flexibility .....	29
7.5	Volume Swell .....	29
7.6	Low-Temperature Flexibility .....	31
7.6.1	Alternate Low-Temperature Flexibility Testing .....	31
7.6.2	Low-Temperature Flexibility (Windshield Sealant) .....	35
7.7	Tensile Strength and Elongation .....	35
7.8	Shear Strength (Class C Only) .....	37
7.9	Corrosion .....	37

**SAE AS5127/1 Revision A**

TABLE OF CONTENTS (Continued)

7.10	Corrosion Stressed Assembly and Mixed Metals .....	39
7.10.1	Corrosion Stressed Assembly .....	39
7.10.2	Mixed-Metal Assemblies .....	39
7.11	Crazing .....	43
8.	PEEL STRENGTH PROPERTIES .....	43
8.1	Peel Strength Testing .....	43
8.1.1	Classes B, D and E .....	48
8.1.2	Classes A and C .....	48
8.1.3	Classes A-1/4, A-1/2, B-1/4 and B-1/2 .....	48
8.2	Repairability .....	52
9.	STORAGE STABILITY .....	53
9.1	Accelerated Storage Stability .....	53
9.2	Long-Term Storage .....	53
TABLE 1	Typical Flow Test Requirements .....	15
TABLE 2	Weatherometer Settings .....	25
TABLE 3	Preparation Sequence of Corrosion Test Assemblies .....	39
TABLE 4	Mixed Metal Assemblies .....	42
TABLE 5	Peel Strength Panels .....	47
FIGURE 1	Plastic Disposable Cartridge, Plunger and Nozzle .....	7
FIGURE 2	Sealant Cartridge for Two Component Materials (Acceptable Type I and II Kit) .....	8
FIGURE 3	Diagram of Stages in Filling Dasher Rod .....	10
FIGURE 4	Flow Test Jig .....	13
FIGURE 5	Assembly Time Test Specimen .....	17
FIGURE 6	Radiographic Density .....	22
FIGURE 7	Thermal Expansion Block .....	23
FIGURE 8	Weathering Test Specimen .....	25
FIGURE 9	Thermal Rupture Fixture .....	28
FIGURE 10	Fluid Rupture Apparatus .....	30
FIGURE 11	Low Temperature Flexibility Test Specimen .....	31
FIGURE 12	Low Temperature Flexibility Jig .....	32
FIGURE 13	Low Temperature Flexibility Apparatus .....	33
FIGURE 14	Contour Block .....	34
FIGURE 15	Low Temperature Flexibility Test Jig .....	36
FIGURE 16	Shear Specimen Fixture .....	38
FIGURE 17	Assembly Configuration for Cycle and Exposure .....	40
FIGURE 18	Mixed Metal Assembly .....	41
FIGURE 19	Crazing Test Showing Transparency in Test Position .....	44