

---

---

**Indoor air —**

**Part 23:  
Performance test for evaluating the  
reduction of formaldehyde and other  
carbonyl compounds concentrations  
by sorptive building materials**

*Air intérieur —*

*Partie 23: Essai de performance pour l'évaluation de la réduction des concentrations en formaldéhyde et autres composés carbonylés par des matériaux de construction sorptifs*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
<b>Foreword</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>vi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Symbols</b> .....	<b>4</b>
<b>5 Principle</b> .....	<b>4</b>
<b>6 Apparatus and materials</b> .....	<b>5</b>
<b>7 Test conditions</b> .....	<b>6</b>
7.1 General.....	6
7.2 Test conditions to determine concentration reduction performance.....	6
7.2.1 Temperature and relative humidity.....	6
7.2.2 Supply air quality and background concentration.....	6
7.2.3 Mass transfer coefficient.....	7
7.2.4 Air change rate.....	7
7.2.5 Supply air concentration.....	7
7.3 Factors affecting the concentration reduction performance.....	7
7.3.1 General.....	7
7.3.2 Temperature and humidity.....	7
7.3.3 Concentration of target compound(s) in supply air.....	7
7.3.4 Interfering gases.....	8
<b>8 Verification of test conditions</b> .....	<b>8</b>
8.1 Monitoring of test conditions.....	8
8.2 Airtightness of test chamber.....	8
8.3 Air change rate in test chamber.....	8
8.4 Efficiency of the internal test chamber air mixing.....	8
8.5 Recovery.....	8
<b>9 Preparation of test chamber</b> .....	<b>9</b>
<b>10 Preparation of test specimens</b> .....	<b>9</b>
<b>11 Test method</b> .....	<b>9</b>
11.1 Background concentration and spiked supply air.....	9
11.2 Placing the test specimen in the test chamber.....	9
11.3 Time intervals for measurement of test chamber concentration.....	9
11.3.1 Test for target compound concentration reduction.....	9
11.3.2 Test for long-term reduction performance.....	10
11.3.3 Factors affecting the reduction performance.....	10
11.4 Air sampling.....	10
<b>12 Determination of target compound(s)</b> .....	<b>10</b>
<b>13 Expression of results</b> .....	<b>10</b>
13.1 Calculation of area-specific reduction rate.....	10
13.2 Calculation of equivalent ventilation rate per area.....	11
13.3 Calculation of total mass per area of sorption and saturation mass per area.....	11
<b>14 Test report</b> .....	<b>11</b>
<b>Annex A (normative) Sample tube test for long-term reduction performance</b> .....	<b>13</b>
<b>Annex B (normative) System for quality assurance and quality control</b> .....	<b>17</b>
<b>Annex C (informative) Example measurements of construction materials</b> .....	<b>19</b>