

INTERNATIONAL
STANDARD

ISO
16000-24

Second edition
2018-12

Indoor air —

Part 24:

**Performance test for evaluating
the reduction of volatile organic
compound concentrations by sorptive
building materials**

Air intérieur —

Partie 24: Essai de performance pour l'évaluation de la réduction des concentrations en composés organiques volatils par des matériaux de construction sorptifs



Reference number
ISO 16000-24:2018(E)

© ISO 2018



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols	4
5 Principle	4
6 Apparatus and materials	5
7 Test conditions	6
7.1 General	6
7.2 Test conditions to determine concentration reduction performance	6
7.2.1 Temperature and relative humidity	6
7.2.2 Supply air quality and background concentration	6
7.2.3 Mass transfer coefficient	7
7.2.4 Air change rate	7
7.2.5 Supply air concentration	7
7.3 Factors affecting the concentration reduction performance	7
7.3.1 General	7
7.3.2 Temperature and humidity	7
7.3.3 Concentration of target compound(s) in spiked air	7
7.3.4 Interfering gases	8
8 Verification of test conditions	8
8.1 Monitoring of test conditions	8
8.2 Airtightness of test chamber	8
8.3 Air change rate in test chamber	8
8.4 Efficiency of the internal test chamber air mixing	8
8.5 Recovery	8
9 Preparation of test chamber	9
10 Preparation of test specimens	9
11 Test method	9
11.1 Background concentration and spiked supply air	9
11.2 Placing the test specimen in the test chamber	9
11.3 Time intervals for measurement of chamber concentration	9
11.3.1 Test for concentration reduction performance	9
11.3.2 Test for long-term reduction performance	10
11.3.3 Factors affecting the reduction performance	10
11.4 Air sampling	10
12 Determination of target compound(s)	10
13 Expression of results	10
13.1 Calculation of area-specific reduction rate	10
13.2 Calculation of equivalent ventilation rate per area	11
13.3 Calculation of total mass per area of sorption and saturation mass per area	11
14 Test report	11
Annex A (normative) Sample tube test for long-term reduction performance	13
Annex B (normative) System for quality assurance and quality control	17
Bibliography	19