
**Textiles — Seam tensile properties of
fabrics and made-up textile articles —**

**Part 2:
Determination of maximum force to
seam rupture using the grab method**

*Textiles — Propriétés de résistance à la traction des coutures d'étoffes
et d'articles textiles confectionnés —*

*Partie 2: Détermination de la force maximale avant rupture des
coutures par la méthode d'arrachement (Grab test)*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	2
5 Sampling	2
6 Apparatus	2
7 Atmosphere for conditioning and testing	3
8 Preparation of seams and of test specimens	3
8.1 Preparation of seams, if required, before testing.....	3
8.2 Dimensions.....	3
8.3 Preparation of test specimens.....	4
9 Procedure	5
9.1 Gauge length.....	5
9.2 Rate of extension.....	5
9.3 Mounting of test specimens.....	5
9.4 Operation.....	6
10 Calculation and expression of results	6
11 Test report	6
Annex A (informative) Arrangements of jaws for the grab test	8
Bibliography	9

.....