
**Thermal spraying — Zinc, aluminium
and their alloys —**

Part 1:
**Design considerations and quality
requirements for corrosion
protection systems**

*Projection thermique — Zinc, aluminium et alliages de ces métaux —
Partie 1: Considérations de conception et exigences de qualité pour les
systèmes de protection contre la corrosion*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Criteria for corrosion and corrosion protection by thermal-sprayed coatings	3
4.1 General	3
4.2 Corrosivity categories and environment conditions	3
4.3 Corrosion rate	3
4.4 Coating materials and corrosion behaviour	3
4.4.1 General	3
4.4.2 Zinc and zinc alloys	4
4.4.3 Aluminium and aluminium alloys	4
5 Requirements for the corrosion protection systems and their planning	4
5.1 General rules — Technical requirements	4
5.2 Used spray materials and coating thickness	5
5.2.1 Spray materials	5
5.2.2 Coating thickness	5
5.3 Construction design requirements for iron and steel components for thermal spraying	6
5.3.1 General	6
5.3.2 Recommendations for the design of the part — Avoidance of corrosion creating areas	6
5.3.3 Requirements for welding in combination with thermal-sprayed protective coatings	6
5.3.4 Thermal spraying of corrosion protected fastenings	6
6 Pre-conditions and requirements for the manufacturing process	6
6.1 General — Requirements	6
6.2 Reference areas	6
6.3 Preparation of the surface to be coated	7
6.4 Thermal spraying	7
6.5 Sealing of thermal-sprayed coatings	7
6.6 Metallic coatings and additional organic top coatings	8
6.7 Requirements for the tests — Test procedures	8
6.7.1 General	8
6.7.2 Visual inspection — Appearance	8
6.7.3 Coating thickness	8
6.7.4 Adhesion strength	9
6.7.5 Metallographic investigation	9
7 Requirements for the manufacturer	9
7.1 General	9
7.2 Coating specification — Requirements for the spray coating	10
8 Documentation	10
Annex A (informative) Corrosivity categories — Environment conditions — Exposure	11
Annex B (informative) Summary of the corrosion behaviour of thermal-sprayed coatings of zinc, aluminium and their alloys	13
Annex C (informative) Recommended values for the thickness of the metallic coating	15
Annex D (informative) Examples of design and explanations	17
Annex E (informative) Example test certificate for work specimen for thermal sprayer used on-site in accordance with ISO 2063-2	22