

DIN 56950-1

**DIN**

ICS 97.200.10

Supersedes  
DIN 56950:2005-04  
See start of application

**Entertainment technology –  
Machinery installations –  
Part 1: Safety requirements and inspection,  
English translation of DIN 56950-1:2012-05**

Veranstaltungstechnik –  
Maschinentechnische Einrichtungen –  
Teil 1: Sicherheitstechnische Anforderungen und Prüfung,  
Englische Übersetzung von DIN 56950-1:2012-05

Technique événementielle –  
Équipement pour machinerie scénique –  
Partie 1: Exigences et examens relatifs à la sécurité,  
Traduction anglaise de DIN 56950-1:2012-05

Document comprises 76 pages

Normenausschuss Veranstaltungstechnik, Bild und Film (NVBF) im DIN  
DIN-Sprachendienst



*A comma is used as the decimal marker.*

## Start of application

The start of application of this standard is 2012-05-01.

DIN 56950:2005-04 remains valid until 2012-10-31.

## Contents

	Page
Foreword .....	4
Introduction .....	6
1 Scope .....	7
2 Normative references .....	8
3 Terms and definitions .....	10
3.1 General terms .....	10
3.2 Loads and forces .....	12
3.3 Electrical equipment .....	13
3.4 Tolerances relating to movement .....	17
3.5 Machine group travel .....	18
3.6 Examples of machinery installations .....	19
4 Hazards .....	21
5 Design requirements .....	23
5.1 Load assumptions .....	23
5.2 Load bearing equipment and structural elements .....	24
5.3 Load carrying devices .....	29
6 Safeguarding hazardous areas .....	30
6.1 Protective spaces .....	30
6.2 Safeguarding at crushing, shearing and trapping points, and fall protection .....	30
6.3 Accessibility of maintenance areas .....	30
6.4 Elevator shaft walls, openings and landing doors .....	31
6.5 Counterweights .....	31
7 Electrical equipment and control systems .....	31
7.1 General requirements .....	31
7.2 Incoming supply conductor terminations and devices for disconnecting and switching off .....	33
7.3 Protection against electric shock .....	33
7.4 Protection of equipment .....	34
7.5 Control circuits and control functions .....	34
7.6 Safety functions and control functions in the event of failure .....	38
7.7 Emergency stop and emergency switching-off functions .....	42
7.8 Electronic and programmable electronic systems (E/PES) .....	43
7.9 Use of programmable electronic systems (E/PES) without safety functions .....	43
7.10 Operator interfaces, control devices and contactors .....	44
7.11 Conductors and cables .....	44
7.12 Wiring practices .....	45
7.13 Electric motors and associated equipment .....	45
7.14 Accessories and lighting .....	45
7.15 Marking, warning signs and reference designations .....	45
7.16 Technical documentation .....	45
7.17 Testing and verification of characteristics .....	45

8	Information for use .....	46
8.1	General .....	46
8.2	Data to be agreed .....	46
8.3	Documentation .....	47
8.4	Maintenance instructions .....	47
8.5	Marking .....	48
8.6	Instruction handbook .....	49
9	Testing prior to commissioning .....	50
Annex A (normative) Checklist for visual and functional checks .....		51
Annex B (normative) Examples of hazards, hazardous situations and hazardous events associated with machinery installations as in this standard .....		59
Annex C (normative) Designing safeguards on the basis of risk assessment .....		65
C.1	General .....	65
C.2	Risk assessment as in DIN EN 61508 (VDE 0803) (all parts) .....	65
C.2.1	General .....	65
C.2.2	Consequence risk parameter (C) .....	66
C.2.3	Frequency and exposure time risk parameter (F) .....	66
C.2.4	Possibility of avoiding the hazard risk parameter (P) .....	67
C.2.5	Probability of the unwanted occurrence risk parameter (W) .....	67
C.3	Risk assessment as in DIN EN ISO 13849-1 .....	68
C.3.1	General .....	68
C.3.2	Guidance for selecting parameters S, F and P for the risk estimation .....	69
Annex D (informative) Examples of using the risk graphs .....		71
D.1	General .....	71
D.2	Use of an unregulated three-phase asynchronous motor, <u>with double brake</u> , for moving loads at a speed of 0,15 m/s .....	72
D.2.1	Illustration .....	72
D.2.2	Requirements .....	72
D.2.3	Risk assessment .....	72
D.2.4	Consequence (C or S) .....	72
D.2.5	Frequency of, and exposure time in, the hazardous zone (F) .....	73
D.2.6	Possibility of avoiding the hazardous event (P) .....	73
D.2.7	Probability of the unwanted occurrence (W) .....	73
D.3	Use of computer control <u>to provide protection when the synchronization tolerance is exceeded</u> during the automated synchronized travel of a group of hoists at a speed of 1,2 m/s .....	74
D.3.1	Illustration .....	74
D.3.2	Requirements .....	74
D.3.3	Risk assessment .....	74
D.3.4	Consequence (C) .....	75
D.3.5	Frequency of, and exposure time in, the hazardous zone (F) .....	75
D.3.6	Possibility of avoiding the hazardous event (P) .....	75
D.3.7	Probability of the unwanted occurrence (W) .....	75
Bibliography .....		76