
Space environment (natural and artificial) — Cosmic ray and solar energetic particle penetration inward the magnetosphere — Method of determination of the effective vertical cut-off rigidity

Systèmes spatiaux (naturel et artificiel) — Rayons cosmiques et pénétration de particule énergétique solaire dans la magnétosphère — Méthode de détermination de la rigidité de coupure verticale effective



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Terms and definitions	1
3 General concepts and assumptions	3
3.1 Determination of effective vertical cut-off rigidity.....	3
3.2 Models of the employed geomagnetic field.....	3
3.3 Effective vertical cut-off rigidity databases (libraries).....	4
3.4 Method for effective vertical cut-off data generalization.....	4
4 Model requirements	4
4.1 General.....	4
4.2 Parameterization.....	4
Annex A (informative) Effective vertical cut-off determination procedure	5
Annex B (informative) Presentation of the results	6
Annex C (informative) Method for effective vertical cut-off data generalization for different conditions	7
Bibliography	11