

---

---

**Petroleum and natural gas  
industries — Materials for use in H<sub>2</sub>S-  
containing environments in oil and  
gas production —**

Part 2:

**Cracking-resistant carbon and low-  
alloy steels, and the use of cast irons**

*Industries du pétrole et du gaz naturel — Matériaux pour utilisation  
dans des environnements contenant de l'hydrogène sulfuré (H<sub>2</sub>S) dans  
la production de pétrole et de gaz —*

*Partie 2: Aciers au carbone et aciers faiblement alliés résistants à la  
fissuration, et utilisation de fontes*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2020

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword .....	iv
Introduction .....	v
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>2</b>
<b>3 Terms and definitions .....</b>	<b>3</b>
<b>4 Symbols and abbreviated terms .....</b>	<b>6</b>
<b>5 Purchasing information .....</b>	<b>7</b>
<b>6 Factors affecting the behaviour of carbon and low alloy steels in H<sub>2</sub>S-containing environments .....</b>	<b>7</b>
<b>7 Qualification and selection of carbon and low-alloy steels with resistance to SSC, SOHIC and SZC .....</b>	<b>8</b>
7.1 Option 1 — Selection of SSC-resistant steels (and cast irons) using <a href="#">A.2</a> .....	8
7.1.1 For $p_{\text{H}_2\text{S}} < 0,3$ kPa (0,05 psi) .....	8
7.1.2 For $p_{\text{H}_2\text{S}} \geq 0,3$ kPa (0,05 psi) .....	8
7.2 Option 2 — Selection of steels for specific sour-service applications or for ranges of sour service .....	8
7.2.1 Sulfide stress cracking .....	8
7.2.2 SOHIC and SZC .....	10
7.3 Hardness requirements .....	10
7.3.1 General .....	10
7.3.2 Parent metals .....	10
7.3.3 Welds .....	11
7.4 Other fabrication methods .....	16
<b>8 Evaluation of carbon and low alloy steels for their resistance to HIC/SWC .....</b>	<b>16</b>
<b>9 Marking, labelling, and documentation .....</b>	<b>17</b>
<b>Annex A (normative) SSC-resistant carbon and low alloy steels (and requirements and recommendations for the use of cast irons) .....</b>	<b>18</b>
<b>Annex B (normative) Qualification of carbon and low-alloy steels for H<sub>2</sub>S service by laboratory testing .....</b>	<b>27</b>
<b>Annex C (informative) Determination of H<sub>2</sub>S partial pressure and use of alternative parameters .....</b>	<b>35</b>
<b>Annex D (informative) Recommendations for determining pH .....</b>	<b>40</b>
<b>Annex E (informative) Information that should be supplied for material purchasing .....</b>	<b>45</b>
<b>Bibliography .....</b>	<b>47</b>