
International Standard



3452

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Non-destructive testing — Penetrant inspection — General principles

Essais non destructifs — Contrôle par ressuage — Principes généraux

First edition — 1984-10-15

UDC 620.179.111

Ref. No. ISO 3452-1984 (E)

Descriptors : tests, non-destructive tests, impregnating tests, classifications, macroscopic analysis, testing conditions, safety requirements, inspection.

Price based on 9 pages

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Every member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the technical committees are circulated to the member bodies for approval before their acceptance as International Standards by the ISO Council. They are approved in accordance with ISO procedures requiring at least 75 % approval by the member bodies voting.

International Standard ISO 3452 was prepared by Technical Committee ISO/TC 135, *Non-destructive testing*.

It embodies the content of ISO 3879-1977 which is therefore withdrawn.

Contents

	Page
1 Scope and field of application	1
2 References	1
3 Principle	1
4 Safety precautions	1
5 Classification of penetrant inspection materials	2
5.1 General	2
5.2 Penetrants	2
5.3 Excess penetrant removers	2
5.4 Developers	2
5.5 Classification of penetrant systems	2
6 Test conditions	2
6.1 Compatibility of materials	2
6.2 Pre-cleaning and surface preparation	3
6.3 Degreasing	3
6.4 Drying	3
7 Inspection procedures	3
7.1 Application of penetrant	3
7.2 Application of emulsifier	3
7.3 Excess penetrant removal	3
7.4 Drying	4
7.5 Application of developer	4
7.6 Development time	4
8 Viewing conditions	4
8.1 Fluorescent penetrants	4
8.2 Visible dye penetrants	5