Assessment of inadvertent ignition of flammable atmospheres by radio-frequency radiation — Guide

ICS 13.280



Committees responsible for this British Standard

The preparation of this British Standard was entrusted to Technical Committee GEL/602, upon which the following bodies were represented:

BBC — British Broadcasting Corporation

BEAMA Ltd. — GAMBICA

Chamber of Shipping

Engineering Equipment and Materials Users Association

ERA Technology Ltd

HSE — Health and Safety Executive

Institute of Petroleum

Institution of Gas Engineers

Ministry of Defence — UK Defence Standardization

Radio Society of Great Britain

SIRA Limited

UK Offshore Operators Association Limited

Co-opted member

This British Standard, having been prepared under the direction of the Electrotechnical Sector Policy and Strategy Committee, was published under the authority of the Standards Policy and Strategy Committee on 30 October 2002

 $\ensuremath{\mathbb{C}}$ BSI 30 October 2002

First published February 1986 First revision November 1991 Second revision October 2002

The following BSI references relate to the work on this British Standard:

Committee reference GEL/602

ISBN 0 580 40595 8

Amendments issued since publication

Date	Amd. No.	Comments

i

Contents

	F	age
Committees responsible Insid		over
Forev	word	iii
1	Scope	1
2	Normative references	1
3	Terms and definitions	2
4	Symbols and abbreviations	3
5	General considerations	4
6	Transmitters and transmitter output parameters	5
7	Structures and spark-making mechanisms	7
8	Ignition of flammable atmospheres	11
9	Practical measurements and tests	13
10	Methods of assessment for determining potential RF ignition hazards on a plant containing hazardous areas	15
11	Plant safety measures	43
12	Special cases	45
	ex A (informative) Sources of information and addresses of some very bodies	51
radia	ex B (informative) Electromagnetic radiated fields and examples of ting antenna and unintended receiving antenna characteristics	52
vapou	ex C (informative) Subdivision of group II flammable gases and	60
-	ex D (normative) Measurement of electromagnetic fields	65
	ex E (normative) Methods of measurement on structures (on-site tests)	67
Annex F (informative) Derivation of vulnerable zone distances for Table 5, Table 6 and Table 10		72
Annex G (informative) Worked examples of full assessment procedure		73
Anne	ex H (informative) Ground-wave propagation (vertical polarization) — alation of field strength	81
	ography	84
	re 1 — Typical loop-type structures	9
_	re 2 — Assessment procedure flow chart	17
Figure 3 — On-site test procedure flow chart [see 10.5 and 10.1 b)]		18
Figure 4 — Safe threshold field strength versus frequency for single		
	odulated transmissions	26
Figure 5 — Field strength versus distance from the transmitter (land path)		
	re 6 — Field strength versus distance from the transmitter (sea path)	33 34
Figure 7 — Modulus match powers for $Q_k = 5$		39
_	re 8 — Example of reduction of structure efficiency	44
Figur	re B.1 — Typical antenna installations (physical characteristics of mitting antennas)	54
	re B.2 — Definition of angles	57
Figure E.1 — Test arrangements for measurement of extractable power		69
Figure E.2 — Test arrangement for incendivity tests		72
	re G.1 — Modulus match powers for structure resonated at 1,1 MHz	78
	e 1 — Representative gases for gas groups	12
Table 2 — Radio-frequency power thresholds		12
	e 3 — Radio-frequency energy thresholds	13
Table	e 4 — Representative gases for gas groups and the most easily ignited are (% volume with air)	14

© BSI 30 October 2002