

EUROPEAN STANDARD

EN 54-16

NORME EUROPÉENNE

EUROPÄISCHE NORM

March 2008

ICS 13.220.20

English Version

Fire detection and fire alarm systems - Part 16: Voice alarm control and indicating equipment

Systèmes de détection et d'alarme incendie - Partie 16:
Élément central du système d'alarme incendie vocale

Brandmeldeanlagen - Teil 16: Sprachalarmzentralen

This European Standard was approved by CEN on 20 January 2008.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	4
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms, definitions and abbreviations	8
3.1 Terms and definitions	8
3.2 Abbreviations	10
4 General requirements.....	11
4.1 General.....	11
4.2 Combined VACIE and CIE.....	11
4.3 Power supply.....	11
5 General requirements for indications.....	11
5.1 Display and functional conditions	11
5.2 Indication display.....	12
5.3 Indication on alphanumeric displays.....	12
5.4 Indication of the supply of power	12
5.5 Additional indications	12
6 The quiescent condition	12
7 The voice alarm condition	12
7.1 Reception and processing of fire signals	12
7.2 Indication of the voice alarm condition	13
7.3 Audible warning (option with requirements)	13
7.4 Delays to entering the voice alarm condition (option with requirements)	13
7.5 Phased evacuation (option with requirements).....	13
7.6 Silencing of the voice alarm condition	13
7.7 Reset of the voice alarm condition	14
7.8 Output to fire alarm devices (option with requirements)	14
7.9 Voice alarm condition output (option with requirements)	14
8 Fault warning condition	14
8.1 Reception and processing of fault signals	14
8.2 Indication of faults in specified functions.....	15
8.3 Indication of faults related to the transmission path to the CIE (option with requirements)	16
8.4 Indication of faults related to voice alarm zones (option with requirements).....	16
8.5 System fault.....	16
8.6 Audible indication.....	16
8.7 Reset of fault indications	16
8.8 Transmission of the fault warning condition.....	16
9 Disablement condition (option with requirements).....	17
9.1 General requirements.....	17
9.2 Indication of the disabled condition	17
9.3 Indication of specific disablements	17
9.4 Disablements and their indication	17
9.5 Transmission of the disablement condition	17
10 Voice alarm manual control (option with requirements).....	18
10.1 General requirements.....	18
10.2 Indication of the voice alarm zones in an activated condition	18
10.3 Indication of the voice alarm zones in fault condition.....	18

10.4	Indication of the voice alarm zones in disablement condition	18
11	Interface to external control device(s) (option with the requirements)	18
12	Emergency microphone(s) (option with requirements)	19
13	Design requirements	19
13.1	General requirements and manufacturer's declaration	19
13.2	Documentation	20
13.3	Mechanical design requirements	20
13.4	Electrical and other design requirements	21
13.5	Integrity of transmission paths	21
13.6	Accessibility of indications and controls	21
13.7	Indications by means of light emitting indicators	22
13.8	Indications on alphanumeric displays	22
13.9	Indication colours	22
13.10	Audible indications	23
13.11	Indicator testing	23
13.12	Audio performance	23
13.13	Message store(s)	25
13.14	Redundant power amplifiers (option with requirements)	25
14	Additional design requirements for software controlled VACIE	25
14.1	General requirements and manufacturer's declarations	25
14.2	Software documentation	25
14.3	Software design	26
14.4	Program monitoring (see also Annex C)	26
14.5	The storage of programs and data (see also Annex C)	27
14.6	Monitoring of memory contents	27
15	Marking	27
16	Tests	28
16.1	General	28
16.2	Functional tests	29
16.3	Audio performance and environmental tests	31
16.4	Output power	32
16.5	Signal-to-noise ratio	34
16.6	Frequency response of VACIE without microphone(s)	35
16.7	Frequency response of VACIE with microphone(s)	36
16.8	Cold (operational)	37
16.9	Damp heat, steady state (operational)	38
16.10	Damp heat, steady state (endurance)	39
16.11	Impact (operational)	40
16.12	Vibration, sinusoidal (operational)	41
16.13	Vibration, sinusoidal (endurance)	42
16.14	Supply voltage variation (operational)	42
16.15	Electromagnetic Compatibility (EMC), Immunity tests (operational)	43
Annex A (informative)	Explanation of access level	45
Annex B (informative)	Optional functions with requirements and alternatives	47
Annex C (informative)	Design requirements for software controlled VACIE	49
Annex D (informative)	General information about voice alarm systems	50
Annex E (informative)	Interface between the VACIE and the CIE	53
Annex F (informative)	Common indications, controls and outputs when the VACIE and the CIE are combined	54
Annex ZA (informative)	Clauses of this European Standard addressing the provisions of the EU Construction Products Directive (89/106/EEC)	56
Bibliography	65