

Methods of test for

Soils for civil engineering purposes —

**Part 6: Consolidation and permeability
tests in hydraulic cells and with pore
pressure measurement**

Confirmed
January 2010

Committees responsible for this British Standard

The preparation of this British Standard was entrusted by the Road Engineering Standards Policy Committee (RDB/-) to Technical Committee RDB/38, upon which the following bodies were represented:

Association of Consulting Engineers
 British Civil Engineering Test Equipment Manufacturers' Association
 County Surveyors' Society
 Department of the Environment (Property Services Agency)
 Department of the Environment (Building Research Establishment)
 Department of Transport
 Department of Transport (Transport and Road Research Laboratory)
 Coopted members

This British Standard, having been prepared under the direction of the Road Engineering Standards Policy Committee, was published under the authority of Board of the BSI and comes into effect on 30 November 1990

© BSI 01-1999

The following BSI references relate to the work on this standard:
 Committee reference RDB/38
 Draft for comment 89/11040 DC

ISBN 0 580 18588 5

Amendments issued since publication

Amd. No.	Date	Comments
8261	November 1994	Indicated by a sideline in the margin

Contents

	Page
Committees responsible	Inside front cover
Foreword	ii
<hr/>	
1 Scope	1
2 Definitions	1
3 Determination of consolidation properties using a hydraulic cell	2
3.1 General	2
3.2 Apparatus	2
3.3 Preparation of specimens	9
3.4 Cell assembly	13
3.5 Procedure for consolidation test with one-way vertical drainage	15
3.6 Procedure for consolidation test with two-way vertical drainage	23
3.7 Procedure for consolidation test with drainage radially outwards	25
3.8 Procedure for consolidation test with drainage radially inwards	27
4 Determination of permeability in a hydraulic consolidation cell	28
4.1 General	28
4.2 Apparatus for preparation of specimens	29
4.3 Apparatus for permeability test	29
4.4 Calibration of apparatus	29
4.5 Preparation and checking of apparatus	30
4.6 Preparation of test specimen	30
4.7 Assembly of cell	30
4.8 Test procedures	30
4.9 Calculations	31
4.10 Reporting results	32
5 Determination of isotropic consolidation properties using a triaxial cell	32
5.1 General	32
5.2 Apparatus	33
5.3 Preparation and setting up of specimen	37
5.4 Saturation	38
5.5 Procedure for triaxial consolidation with vertical drainage	40
5.6 Calculations, plotting and analysis	41
5.7 Test report	42
6 Determination of permeability in a triaxial cell	43
6.1 General	43
6.2 Apparatus for preparation of specimens	43
6.3 Apparatus for permeability test	43
6.4 Preparation and checking of apparatus	45
6.5 Preparation and setting up of specimen	45
6.6 Saturation	45
6.7 Consolidation	45
6.8 Procedure for measurement of permeability	45
6.9 Calculations	46
6.10 Reporting results	46
<hr/>	
Appendix A Typical test data and calculation forms	48
Figure 1 — Drainage and loading conditions for consolidation tests in hydraulic cells	3
Figure 2 — Arrangement of hydraulic cell for vertical drainage consolidation [test type (a)]	4