
**Anodizing of aluminium and its
alloys — Determination of mass
per unit area (surface density)
of anodic oxidation coatings —
Gravimetric method**

*Anodisation de l'aluminium et de ses alliages — Détermination
de la masse par unité de surface (masse surfacique) des couches
d'oxydation anodique — Méthode gravimétrique*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2019

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Principle	1
5 Reagents	2
6 Apparatus	2
7 Preparation of test specimen	2
7.1 Sampling.....	2
7.2 Size.....	3
7.3 Method of degreasing.....	3
8 Procedure	3
8.1 Method using test solution A.....	3
8.1.1 Treatment before test.....	3
8.1.2 Performance of the test.....	3
8.2 Method using test solution B.....	3
8.2.1 Treatment before test.....	3
8.2.2 Performance of the test.....	3
9 Expression of results	4
10 Test report	5
Annex A (normative) Method for the degreasing and drying of test specimens	6
Bibliography	7