
**Rubber — Determination of solvent
extract**

Caoutchouc — Détermination de l'extrait par les solvants





COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Principle	1
4 Solvent	2
5 Apparatus	2
6 Preparation of test pieces	2
6.1 Methods A and B	2
6.2 Method C (raw rubbers only)	2
6.3 Method D (raw rubbers only)	4
7 Procedure	4
7.1 General	4
7.2 Method A	4
7.3 Method B	4
7.4 Method C	5
7.5 Method D	6
8 Calculation and expression of results	7
8.1 Method A	7
8.2 Method B	7
8.3 Method C	8
8.4 Method D	8
8.5 Expression of results	8
9 Precision	8
10 Test report	8
Annex A (informative) Recommended solvents	10
Annex B (informative) Precision	12
Annex C (informative) Example of determination of minimum number of extraction cycles for a raw rubber plus solvent combination of EPDM and 2-butanone	16
Bibliography	17