

INTERNATIONAL
STANDARD

ISO
230-10

Second edition
2016-02-01

**Test code for machine tools —
Part 10:
Determination of the measuring
performance of probing systems of
numerically controlled machine tools**

Code d'essai des machines-outils —

*Partie 10: Détermination des performances de mesure des systèmes de
palpage des machines-outils à commande numérique*



Reference number
ISO 230-10:2016(E)

© ISO 2016



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

	Page
Foreword	v
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
3.1 General terms	2
3.2 Terms relating to the probing system	2
3.3 Terms relating to probing	5
3.4 Terms relating to scanning probes (See Annex B)	7
4 Preliminary remarks	8
4.1 Influences on the measurement performance of the probing system	8
4.2 Measurement units	9
4.3 Reference to ISO 230-1	9
4.4 Recommended instrumentation and test equipment	9
4.5 Machine conditions prior to testing	9
4.6 Testing sequence	9
4.7 Tests to be performed	9
4.8 Sources of test uncertainty	10
4.9 Reporting of test results	10
5 Thermal influences	11
5.1 General	11
5.2 Environmental temperature variation error (ETVE) test	11
5.3 Other thermal distortion tests	11
6 Probing of workpiece	12
6.1 General	12
6.2 Probing repeatability	12
6.2.1 General	12
6.2.2 Probing repeatability test for single-point surface measurement, $R_{SPT,X}$, $R_{SPT,Y}$ and $R_{SPT,Z}$ ($R_{Single_Point,X,Y,Z}$)	13
6.2.3 Probing repeatability test for circle centre location, $R_{CIR,X}$ and $R_{CIR,Y}$ ($R_{Circle,X,Y}$)	13
6.2.4 Probing repeatability test for sphere centre location, $R_{SPH,X}$, $R_{SPH,Y}$ and $R_{SPH,Z}$ ($R_{Sphere,X,Y,Z}$)	14
6.3 Stylus tip offset test, A	14
6.3.1 General	14
6.3.2 Test setup and procedure	14
6.3.3 Analysis of results	14
6.4 Probing-tool location repeatability test, $R_{PTL,X}$, $R_{PTL,Y}$ and $R_{PTL,Z}$ ($R_{Probing-Tool-Location,X,Y,Z}$)	15
6.4.1 General	15
6.4.2 Test setup and procedure	15
6.4.3 Analysis of results	15
6.5 2D probing error test, $P_{FTU,2D}$ ($P_{Form_Tactile_Unique,2D}$)	15
6.5.1 General	15
6.5.2 Test setup and procedure	16
6.5.3 Analysis of results	16
6.6 3D probing error test, $P_{FTU,3D}$ ($P_{Form_Tactile_Unique,3D}$)	17
6.6.1 General	17
6.6.2 Test setup and procedure	17
6.6.3 Analysis of test results	18
6.7 Workpiece position and orientation tests, $E_{PLA,Z}$, $E_{LIN,Y}$, $E_{COR,X}$, $E_{COR,Y}$ and $E_{COR,Z}$ ($E_{Plane,Z}$), ($E_{Line,Y}$), ($E_{Corner\ coordinates,X,Y,Z}$)	18