## INTERNATIONAL STANDARD

ISO 529

Third edition 2017-03

## Short machine taps and hand taps

Tarauds courts à machine et à main





## **COPYRIGHT PROTECTED DOCUMENT**

## © ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Ch. de Blandonnet 8 • CP 401 CH-1214 Vernier, Geneva, Switzerland Tel. +41 22 749 01 11 Fax +41 22 749 09 47 copyright@iso.org www.iso.org

Contents			Page
Forewordiv			
1	Scop	e	1
2	Normative references		1
3	Tern	ns and definitions	1
4	ISO metric threads 4.1 Threads up to M25		2
	4.2	4.1.2 Full-diameter shank taps with recess	3 4
		4.2.1 Relieved-shank taps for coarse pitch metric thread Relieved-shank taps for fine pitch metric thread	5 6
5	<b>ISO i</b> 5.1	nch threads, "Unified coarse" (UNC) and "Unified fine" (UNF) series  "Unified" series threads up to 25,4 mm	8 9 10
	5.2	5.2.1 Relieved-shank taps for "Unified coarse" series threads 5.2.2 Relieved-shank taps for "Unified fine" series threads	11
6	Non- 6.1 6.2	"British Standard Whitworth" (BSW) and "British Standard Fine" (BSF) threads 6.1.1 Full-diameter shank taps with recess 6.1.2 Relieved-shank taps "British Association" (BA) threads 6.2.1 Full-diameter shank taps with plain connecting portion 6.2.2 Full-diameter shank taps with recess 6.2.3 Relieved-shank taps	13 14 16 16
Anne		ormative) Shank diameter, overall length and thread length as a function of e of diameters and pitches	19
Anne	<b>x B</b> (in	formative) Shank diameters and size of driving squares (Extract from ISO 237)	22
Anne		formative) <b>Relationship between designations in this document and</b>	23
Biblio		ıy	