INTERNATIONAL STANDARD

ISO 683-11

Second edition 2012-09-15

Heat-treatable steels, alloy steels and free-cutting steels —

Part 11:

Case-hardening steels

Aciers pour traitement thermique, aciers alliés et aciers pour décolletage —

Partie 11: Aciers pour cémentation



Reference number ISO 683-11:2012(E)

ISO 683-11:2012(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office Case postale 56 • CH-1211 Geneva 20 Tel. + 41 22 749 01 11 Fax + 41 22 749 09 47 E-mail copyright@iso.org Web www.iso.org

Published in Switzerland

Contents Page Foreword iv 1 Scope ______1 Normative references1 2 3 Terms and definitions 2 4 Classification and designation 3 4.1 Classification 3 4.2 Designation 3 5 5.1 Mandatory Information.......3 5.2 6 Manufacturing process 4 6 1 General 4 6.2 Deoxidation 4 Heat-treatment condition and surface condition at delivery ______4 6.3 6.4 Traceability of the cast......4 7 Requirements4 7.1 Chemical composition, hardness and hardenability4 7.2 Machinability......5 Cold shearability 5 7.3 7.4 Grain size 5 7.5 Non-metallic inclusions 5 7.6 Internal soundness 5 7.7 Surface condition 6 7.8 Shape, dimensions and tolerances 6 8 Inspection 6 8.1 Testing procedures and types of documents 6 8.2 8.3 9 9.1 Chemical analysis 7 9.2 Hardness and hardenability tests 7 9.3 Retests 7 10 Marking......8 Annex A (normative) Supplementary or special requirements 21 Annex B (informative) Designation of steels given in this part of ISO 683 and of comparable grades covered in various designation systems 22 Annex C (informative) Dimensional standards applicable to products complying with this part of Annex D (informative) Classification of steel grades according to minimum tensile strength as a