INTERNATIONAL STANDARD

ISO 1496-4

> First edition 1991-12-15

Series 1 freight containers — Specification and testing —

Part 4:

Non-pressurized containers for dry bulk

Conteneurs de la série 1 — Spécifications et essais —
Partie 4: Conteneurs non pressurisés pour produits solides en vrac



ISO 1496-4:1991(E)

Contents

	Pa	age
1	Scope	1
2	Normative references	1
3	Definitions	2
4	Dimensions and ratings	2
4.1	External dimensions	2
4.2	Internal dimensions	2
4.3	Ratings	2
5	Design requirements	2
5.1	General	2
5.2	Corner fittings	3
5.3	Base structure	3
5.4	End structure	4
5.5	Side structure	4
5.6	Walls (box type only)	4
5.7	Shell (hopper type only)	4
5.8	Openings	4
5.9	Construction	5
5.10	Requirements — Optional features	5
6	Testing	6
6.1	General	6
6.2	Test No. 1 — Stacking	6
6.3	Test No. 2 — Lifting from the four top corner fittings	7
6.4	Test No. 3 — Lifting from the four bottom corner fittings $$	8
6.5	Test No. 4 — External restraint (longitudinal)	8
6.6	Test No. 5 — Strength of end walls (box type only)	8

All rights reserved. No part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

International Organization for Standardization
Case Postale 56 • CH-1211 Genève 20 • Switzerland

Printed in Switzerland

6.7	Test No. 6 — Strength of side walls (box type only)	. 9
6.8	Test No. 7 — Strength of the roof (where provided)	. 9
6.9	Test No. 8 — Floor strength (box type only)	. 9
6.10	Test No. 9 — Rigidity (transverse)	. 9
6.11	Test No. 10 — Rigidity (longitudinal)	10
6.12	2 Test No. 11 — Lifting from fork-lift pockets (where provided)	10
6.13	Test No. 12 — Lifting from the base at grappler-arm positions (where provided)	11
6.14	Test No. 13 — Weatherproofness	11
6.15	Test No. 14 — Internal longitudinal restraint (hopper type only)	11
6.16	Test No. 15 — Internal lateral restraint (hopper type only)	12
6.17	Test No. 16 — Walkways (where provided)	12
6.18	3 Test No. 17 — Ladders (where provided)	12
6.19	Test No. 18 — Airtightness test (type codes 23 and 83)	13
Ann	exes	
A	Diagrammatic representation of capabilities appropriate to all types and sizes of dry bulk non-pressurized containers, except where otherwise stated	14
В	Details of requirements for load-transfer areas in base structure of containers	es 20
С	Dimensions of fork-lift pockets (where provided)	26
D	Dimensions of grappler-arm lifting areas (where provided)	27
E	Dimensions of gooseneck tunnels (where provided)	29
F	Typical examples of the location of openings for loading of dry b non-pressurized box-type containers	
G	Bibliography	31