INTERNATIONAL STANDARD

ISO 2870

Third edition 2009-02-15

Surface active agents — Detergents — Determination of anionic-active matter hydrolysable and non-hydrolysable under acid conditions

Agents de surface — Détergents — Détermination de la matière active anionique hydrolysable et non hydrolysable en milieu acide



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents Page

Forev	word	iv
1	Scope	1
2	Normative references	1
3	Principle	1
4	Reagents	2
5	Apparatus	2
6	Sampling	2
7 7.1 7.2 7.3	Procedure Test portion and test solution Determination of total anionic-active matter Determination of hydrolyzable anionic-active matter	2 3
8 8.1 8.2	Calculation and expression of results Calculations Precision	3 4
9	Test report	4
Riblid	ography	5