
**Paints and varnishes — Determination
of the percentage volume of non-
volatile matter —**

Part 1:

**Method using a coated test panel to
determine non-volatile matter and
to determine dry film density by the
Archimedes principle**

*Peintures et vernis — Détermination du pourcentage en volume de
matière non volatile —*

*Partie 1: Méthode utilisant un panneau d'essai revêtu pour déterminer
la matière non volatile et pour déterminer la masse volumique du feuil
sec par le principe d'Archimède*



Reference number
ISO 3233-1:2013(E)

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Principle	2
5 Apparatus and reagents	2
6 Sampling	5
7 Procedure	5
7.1 Number of determinations and preparation	5
7.2 Choice of receptacle	5
7.3 Determination of volume of uncoated receptacle	5
7.4 Application	6
7.5 Determination of volume of dry coating	7
7.6 Determination of density of the liquid coating material	7
8 Calculation	7
8.1 Calculation of the practical dry-film density, non-volatile-matter content and non-volatile matter by volume	7
8.2 Calculation of the spreading rate	8
9 Precision	8
9.1 Repeatability limit	8
9.2 Reproducibility limit	9
10 Test report	9
Annex A (informative) Examples of test conditions	10
Annex B (informative) Overview of the existing methods for determination of non-volatile-matter content and volume of non-volatile matter	11
Bibliography	12