
**Welding and allied processes —
Determination of hydrogen content in arc
weld metal**

*Soudage et techniques connexes — Détermination de la teneur en
hydrogène dans le métal fondu pour le soudage à l'arc*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Principle	1
4 Test procedures	2
4.1 Production of weld specimens	2
4.2 Welding procedures for the production of weld specimens	6
4.3 Measurement of hydrogen in the test weld	13
4.4 Measurement of total hydrogen content in the weld metal — Rapid methods	19
4.5 Rounding procedure	19
Annex A (informative) Recommendations and restrictions in regard to older methods of measurement using mercury	20
Annex B (informative) Recommendations and restrictions in regard to older methods of measurement using glycerin	21
Annex C (informative) Accuracy and reproducibility	22
Bibliography	23