
**Rubber, vulcanized or thermoplastic —
Determination of dynamic properties —**

Part 1:
General guidance

*Caoutchouc vulcanisé ou thermoplastique — Détermination des
propriétés dynamiques —*

Partie 1: Lignes directrices





COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
3.1 Terms applying to any periodic deformation	1
3.2 Terms applying to sinusoidal motion	4
3.3 Other terms applying to periodic motion	6
4 Symbols	7
5 Principles	9
5.1 Viscoelasticity	9
5.2 Use of dynamic test data	10
5.3 Classification of dynamic tests	10
5.4 Factors affecting machine selection	11
5.5 Dynamic motion	11
5.6 Interdependence of frequency and temperature	14
6 Apparatus	15
7 Test conditions and test pieces	16
7.1 Test piece preparation	16
7.2 Test piece dimensions	16
7.3 Number of test pieces	17
7.4 Test conditions	17
7.5 Small-sized test apparatus	18
7.6 Large-sized test apparatus	19
7.7 Dynamic testing using free vibration	20
8 Conditioning	20
8.1 Storage	20
8.2 Temperature	20
8.3 Mechanical conditioning	20
9 Test procedure	21
10 Expression of results	21
10.1 Parameters required	21
10.2 Forced vibration	21
10.3 Free vibration	23
10.4 Stress-strain relationships and shape factors	23
11 Test report	24