
**Internal combustion engines —
Piston rings —**

**Part 2:
Rectangular rings made of steel**

*Moteurs à combustion interne — Segments de piston —
Partie 2: Segments rectangulaires en acier*



Reference number
ISO 6622-2:2013(E)

© ISO 2013



COPYRIGHT PROTECTED DOCUMENT

© ISO 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Overview	1
4 Ring types and designation examples	1
4.1 Type R — Straight-faced rectangular ring	1
4.2 Type B — Barrel-faced rectangular ring	2
4.3 Type BA — Asymmetrical barrel-faced rectangular ring, $h_1 \geq 1,2\text{mm}$	4
4.4 Type M — Taper-faced rectangular ring	5
5 Common features	6
5.1 Type R — Straight-faced rectangular ring	6
5.2 Type B — Barrel-faced rectangular ring	7
5.3 Type BA — Asymmetrical barrel-faced rectangular ring, $h_1 \geq 1,2\text{ mm}$	8
5.4 Type M — Taper-faced rectangular ring	9
5.5 Type R, B, BA, and M rings (positive twist type) — Internal bevel top side	11
5.6 Type M rings (negative twist type), taper M3 to M5 — Internal bevel bottom side	11
5.7 Type R, B, BA, and M rings — Outside and inside rounded edges	12
5.8 Type R, B, BA, and M rings (fully faced and inlaid) — Plating/coating thickness	12
5.9 Type R, B, BA, and M rings — Nitrided case depth	13
6 Force factors	14
7 Dimensions and forces	14
Bibliography	21