

---

---

**Internal combustion engines — Piston  
rings —**

**Part 3:  
Coil-spring-loaded oil control rings made  
of steel**

*Moteurs à combustion interne — Segments de piston —*

*Partie 3: Segments racleurs régulateurs d'huile, en acier, mis en charge  
par ressort hélicoïdal*



Reference number  
ISO 6626-3:2008(E)

© ISO 2008

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2008

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword.....	iv
Introduction .....	v
1 Scope .....	1
2 Normative references .....	1
3 Symbols .....	1
4 Piston ring types and designation examples .....	2
4.1 Type SOR — Steel oil control rings with R-shaped groove .....	2
4.2 Type SOV — Steel oil control rings with V-shaped groove.....	3
5 Common features .....	4
5.1 Ring width $h_1$ and radial wall thickness $a_1$ .....	4
5.2 Land width $h_5$ .....	5
5.3 Land angle $\alpha, \beta$ .....	5
5.4 Land spacing $B_3$ .....	6
5.5 Slot sizes .....	6
5.6 Nitrided surface.....	7
5.7 Nominal contact pressure and tangential force .....	7
5.8 Tolerance of tangential force $F_t$ .....	7
6 Coil springs .....	8
6.1 Types of coil spring.....	8
6.2 Coil-spring excursion (extended gap) .....	10
6.3 Position of coil spring gap and fixing.....	10
6.4 Material .....	10
7 Type SOR.....	11
8 Type SOV .....	11
9 Dimensions.....	12
Bibliography .....	20