

---

---

**Aerospace — Separable tube fittings for  
fluid systems, for 24° cones, for  
pressures up to 3 000 psi or  
21 000 kPa — Procurement specification,  
inch/metric**

*Aéronautique et espace — Raccordements séparables de tubes à cône  
de 24° pour circuits de fluides jusqu'à 3 000 psi ou 21 000 kPa —  
Spécification d'approvisionnement, inch/métrique*



Reference number  
ISO 7169:2007(E)

© ISO 2007

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword.....	v
Introduction .....	vi
<b>1</b> <b>Scope</b> .....	<b>1</b>
<b>2</b> <b>Normative references</b> .....	<b>1</b>
<b>3</b> <b>Classification</b> .....	<b>1</b>
<b>4</b> <b>Requirements</b> .....	<b>2</b>
<b>4.1</b> <b>Qualification</b> .....	<b>2</b>
<b>4.1.1</b> <b>Manufacturer qualification</b> .....	<b>2</b>
<b>4.1.2</b> <b>Product qualification</b> .....	<b>2</b>
<b>4.2</b> <b>Materials</b> .....	<b>2</b>
<b>4.2.1</b> <b>Fittings</b> .....	<b>2</b>
<b>4.2.2</b> <b>Tubing</b> .....	<b>2</b>
<b>4.3</b> <b>Design and manufacture</b> .....	<b>5</b>
<b>4.3.1</b> <b>Threads</b> .....	<b>5</b>
<b>4.3.2</b> <b>Fluid passages</b> .....	<b>5</b>
<b>4.4</b> <b>Surface protection and colour identification</b> .....	<b>5</b>
<b>4.4.1</b> <b>Surface protection</b> .....	<b>5</b>
<b>4.4.2</b> <b>Colour identification</b> .....	<b>6</b>
<b>4.5</b> <b>Marking</b> .....	<b>6</b>
<b>4.6</b> <b>Performance</b> .....	<b>6</b>
<b>4.6.1</b> <b>Proof pressure</b> .....	<b>6</b>
<b>4.6.2</b> <b>Gaseous pressure</b> .....	<b>7</b>
<b>4.6.3</b> <b>Hydraulic impulse resistance</b> .....	<b>7</b>
<b>4.6.4</b> <b>Minimum burst pressure</b> .....	<b>7</b>
<b>4.6.5</b> <b>Flexure fatigue resistance</b> .....	<b>7</b>
<b>4.6.6</b> <b>Re-use capability</b> .....	<b>8</b>
<b>4.6.7</b> <b>Tensile load capability</b> .....	<b>8</b>
<b>4.7</b> <b>Workmanship</b> .....	<b>8</b>
<b>5</b> <b>Quality assurance provisions</b> .....	<b>9</b>
<b>5.1</b> <b>Responsibility for inspection</b> .....	<b>9</b>
<b>5.2</b> <b>Inspection lot</b> .....	<b>9</b>
<b>5.2.1</b> <b>Material certification</b> .....	<b>10</b>
<b>5.2.2</b> <b>Heat-treating certification</b> .....	<b>10</b>
<b>5.3</b> <b>Classification of inspections and tests</b> .....	<b>10</b>
<b>5.3.1</b> <b>Qualification inspection</b> .....	<b>10</b>
<b>5.3.2</b> <b>Quality conformance inspection</b> .....	<b>10</b>
<b>5.4</b> <b>Quality control records</b> .....	<b>11</b>
<b>5.5</b> <b>Quality conformance inspection procedures</b> .....	<b>11</b>
<b>5.5.1</b> <b>Examination of product</b> .....	<b>11</b>
<b>5.5.2</b> <b>Material certification</b> .....	<b>11</b>
<b>5.5.3</b> <b>Rolled threads</b> .....	<b>11</b>
<b>5.5.4</b> <b>Fluid passages</b> .....	<b>11</b>
<b>5.5.5</b> <b>Sampling instructions</b> .....	<b>12</b>
<b>5.6</b> <b>Test conditions</b> .....	<b>12</b>
<b>5.6.1</b> <b>Test fluids</b> .....	<b>12</b>
<b>5.6.2</b> <b>Specimen preparation</b> .....	<b>12</b>
<b>5.6.3</b> <b>Lubricants</b> .....	<b>15</b>
<b>5.6.4</b> <b>Qualification test procedures</b> .....	<b>15</b>
<b>5.6.5</b> <b>Sampling instructions</b> .....	<b>15</b>