
Wheelchairs

Part 28: Requirements and test methods for stair- climbing devices

Fauteuils roulants —

Partie 28: Exigences et méthodes d'essai pour les dispositifs monte-escalier





COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	vi
Introduction	viii
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Application of reference standards	13
4.1 Use of a stair-climbing device in driving mode	13
4.2 Use of a stair-climbing device in other operational modes	14
5 Requirements	14
5.1 General	14
5.2 Skew angle	14
5.3 Effectiveness of brakes	15
5.4 Static stability	15
5.5 Dynamic stability	16
5.6 Direct operating forces	16
5.7 Step transition safety	16
5.8 Static, impact and fatigue strength	16
5.9 Climatic tests	17
5.10 Flammability	17
5.11 Electromagnetic compatibility	17
5.12 Safe operation as the battery becomes depleted	17
5.13 Safety equipment	17
5.14 Ergonomic aspects	18
6 Test apparatus	18
7 Preparation of the stair-climbing device for testing	22
7.1 General	22
7.2 Equipment	23
7.3 Adjustments	23
7.4 Batteries	23
7.5 Tyre inflation	23
7.6 Power switch	23
7.7 Speed setting	23
7.8 Loading of stair-climbing devices	24
7.9 Adaptation of the body support system	25
7.10 Exaggerated test set-up	25
8 Test conditions	25
9 Skew angle	25
9.1 Principle	25
9.2 Test method	25
9.3 Evaluation of results	26
9.4 Test report	27
10 Effectiveness of brakes	27
10.1 Principle	27
10.2 Test method	28
10.3 Test report	29
11 Static stability	30
11.1 Principle	30
11.2 Test methods	30
11.3 Test report	32
12 Dynamic stability	33