
**Fire detection and fire alarm systems —
Part 17:
Short-circuit isolators**

*Systèmes de détection d'incendie et d'alarme —
Partie 17: Isolateurs de court-circuit*

www.iso.org/iso/7240-17



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

www.iso.org



COPYRIGHT PROTECTED DOCUMENT

© ISO 2009

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 0111
Fax + 41 22 749 0947
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction.....	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Requirements	2
4.1 Compliance	2
4.2 Integral status indication	2
4.3 Connection of ancillary devices	2
4.4 Monitoring of detachable short-circuit isolators	3
4.5 Manufacturer's adjustments	3
4.6 On-site adjustments	3
4.7 Marking	3
4.8 Data	3
4.9 Additional requirements for software controlled short-circuit isolators	4
5 Tests	5
5.1 General	5
5.2 Reproducibility	7
5.3 Variation in supply voltage	8
5.4 Dry heat (operational)	8
5.5 Cold (operational)	9
5.6 Damp heat, cyclic (operational)	10
5.7 Damp heat, steady state (endurance)	10
5.8 Sulfur dioxide (SO₂) corrosion (endurance)	11
5.9 Shock (operational)	12
5.10 Impact (operational)	13
5.11 Vibration, sinusoidal (operational)	14
5.12 Vibration, sinusoidal (endurance)	15
5.13 Electromagnetic compatibility (EMC), immunity tests (operational)	16
6 Test report	17
Annex A (informative) Examples for the functional test procedure	18
Annex B (informative) Apparatus for impact test	25
Bibliography	27