

---

---

**Fire detection and alarm systems —**  
**Part 7:**  
**Point-type smoke detectors using**  
**scattered light, transmitted light or**  
**ionization**

*Systèmes de détection et d'alarme d'incendie —*

*Partie 7: Détecteurs de fumée ponctuels utilisant le principe de la diffusion de la lumière, de la transmission de la lumière ou de l'ionisation*



Reference number  
ISO 7240-7:2011(E)

© ISO 2011

© ISO 2011



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

Foreword .....	v
Introduction.....	vii
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms and definitions .....</b>	<b>2</b>
<b>4 General requirements .....</b>	<b>2</b>
<b>4.1 Compliance .....</b>	<b>2</b>
<b>4.2 Response threshold value of detectors using scattered or transmitted light .....</b>	<b>2</b>
<b>4.3 Individual alarm indication .....</b>	<b>3</b>
<b>4.4 Connection of ancillary devices .....</b>	<b>3</b>
<b>4.5 Monitoring of detachable detectors .....</b>	<b>3</b>
<b>4.6 Manufacturer's adjustments.....</b>	<b>3</b>
<b>4.7 On-site adjustment of response behaviour .....</b>	<b>3</b>
<b>4.8 Protection against the ingress of foreign bodies .....</b>	<b>4</b>
<b>4.9 Response to slowly developing fires .....</b>	<b>4</b>
<b>4.10 Marking.....</b>	<b>4</b>
<b>4.11 Data .....</b>	<b>5</b>
<b>4.12 Requirements for software-controlled detectors .....</b>	<b>5</b>
<b>5 Tests .....</b>	<b>6</b>
<b>5.1 General .....</b>	<b>6</b>
<b>5.2 Repeatability .....</b>	<b>9</b>
<b>5.3 Directional dependence .....</b>	<b>10</b>
<b>5.4 Reproducibility .....</b>	<b>11</b>
<b>5.5 Variation in supply parameters.....</b>	<b>11</b>
<b>5.6 Air movement.....</b>	<b>12</b>
<b>5.7 Dazzling .....</b>	<b>13</b>
<b>5.8 Dry heat (operational) .....</b>	<b>13</b>
<b>5.9 Cold (operational).....</b>	<b>14</b>
<b>5.10 Damp heat, steady state (operational) .....</b>	<b>15</b>
<b>5.11 Damp heat, steady state (endurance).....</b>	<b>16</b>
<b>5.12 Sulfur dioxide (SO<sub>2</sub>) corrosion (endurance).....</b>	<b>17</b>
<b>5.13 Shock (operational) .....</b>	<b>18</b>
<b>5.14 Impact (operational) .....</b>	<b>19</b>
<b>5.15 Vibration, sinusoidal (operational) .....</b>	<b>20</b>
<b>5.16 Vibration, sinusoidal (endurance) .....</b>	<b>21</b>
<b>5.17 Electromagnetic compatibility (EMC) immunity tests (operational) .....</b>	<b>22</b>
<b>5.18 Fire sensitivity .....</b>	<b>22</b>
<b>6 Test report.....</b>	<b>24</b>
<b>Annex A (normative) Smoke tunnel for response threshold value measurements.....</b>	<b>25</b>
<b>Annex B (normative) Test aerosol for response threshold value measurements .....</b>	<b>26</b>
<b>Annex C (normative) Smoke-measuring instruments.....</b>	<b>27</b>
<b>Annex D (normative) Apparatus for dazzling test .....</b>	<b>31</b>
<b>Annex E (normative) Apparatus for impact test .....</b>	<b>32</b>
<b>Annex F (normative) Fire test room .....</b>	<b>34</b>
<b>Annex G (normative) Smouldering (pyrolysis) wood fire (TF2) .....</b>	<b>36</b>