
**Tool shanks with 7/24 taper for
automatic tool changers —**

**Part 3:
Retention knobs of forms AD, AF, UD,
UF, JD and JF**

*Queues d'outils à conicité 7/24 pour changement automatique
d'outils —*

Partie 3: Tirettes de formes AD, AF, UD, UF, JD et JF



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Dimensions	1
3.1 General	1
3.2 Retention knobs of form AD, for centric inner cooling lubricant supply	1
3.3 Retention knobs of form AF, without cooling lubricant supply	2
3.4 Retention knobs of form UD, for centric inner cooling lubricant supply	3
3.5 Retention knobs of form UF, without cooling lubricant supply	4
3.6 Retention knobs of form JD with centric inner cooling lubricant supply	5
3.7 Retention knobs of form JF, without cooling lubricant supply	6
3.8 Retention knobs with data medium	7
4 Material	7
5 O-ring	8
6 Designation	8
Bibliography	9