

INTERNATIONAL STANDARD

ISO 8974

Third edition
2002-05-01

Plastics — Phenolic resins — Determination of residual phenol content by gas chromatography

*Plastiques — Résines phénoliques — Dosage du phénol résiduel par
chromatographie en phase gazeuse*



Reference number
ISO 8974:2002(E)

© ISO 2002

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. +41 22 749 0111
Fax +41 22 749 0947
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Contents

	Page
Foreword.....	iv
1 Scope.....	1
2 Normative references.....	1
3 Principle.....	1
4 Terms and definitions.....	1
5 Reagents and materials.....	2
6 Apparatus.....	3
7 Procedure.....	4
8 Expression of results.....	7
9 Precision.....	8
10 Test report.....	8
Annex A (informative) Examples of operating conditions.....	9
Annex B (informative) Example of determination of calibration curve.....	10