

INTERNATIONAL
STANDARD

ISO
10838-2

First edition
2000-06-15

**Mechanical fittings for polyethylene piping
systems for the supply of gaseous fuels —**

Part 2:

**Metal fittings for pipes of nominal outside
diameter greater than 63 mm**

*Raccords mécaniques pour systèmes de canalisation en polyéthylène
destinée à la distribution de combustibles gazeux —*

*Partie 2: Raccords métalliques pour tubes de diamètre extérieur nominal
supérieur à 63 mm*



Reference number
ISO 10838-2:2000(E)

© ISO 2000

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail: copyright@iso.ch
Web: www.iso.ch

Printed in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Symbols and abbreviated terms	3
5 Materials	4
5.1 General	4
5.2 Metal components	4
5.3 Plastics materials	4
5.4 Elastomers	5
5.5 Other materials	5
6 Individual fittings	5
6.1 Design and construction	5
6.2 Appearance	5
6.3 Fittings with spigot ends	6
6.4 Fittings with electrofusion sockets	6
6.5 Threads	6
6.6 Flanges	6
6.7 Dimensions and tolerances of metal components	6
6.8 Dimensions and tolerances of PE components	6
6.9 Minimum bore	6
7 Test pieces	6
8 Test requirements	6
8.1 Leaktightness test	6
8.2 Leaktightness with temperature cycling	7
8.3 Leaktightness after tensile testing	7
8.4 Hydrostatic strength	7
9 Test methods	7
9.1 Leaktightness testing	7
9.2 Leaktightness with temperature cycling	7
9.3 Leaktightness after tensile testing	8
9.4 Hydrostatic strength at 80 °C	10
10 Marking	11
10.1 General	11
10.2 Permanent marking (for example by moulding or indent marking on the body of the fitting)	11
10.3 Permanent marking on the fitting or on a label	11
11 Packaging and storage	11

