
**Gas cylinders — Refillable composite
gas cylinders — Design, construction
and testing —**

Part 4:
**Fully wrapped fibre reinforced
composite gas cylinders up to 150 l
with load-sharing welded metallic
liners**

*Bouteilles à gaz — Bouteilles à gaz rechargeables en matériau
composite et tubes — Conception, construction et essais —*

*Partie 4: Bouteilles à gaz composites entièrement bobinées renforcées
par des fibres et tubes d'une contenance allant jusqu'à 150 l avec
liners métalliques transmettant la charge*



COPYRIGHT PROTECTED DOCUMENT

© ISO 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

| | Page |
|--|-----------|
| Foreword | v |
| Introduction | vi |
| 1 Scope | 1 |
| 2 Normative references | 1 |
| 3 Terms and definitions | 2 |
| 4 Symbols | 4 |
| 5 Inspection and testing | 4 |
| 6 Materials | 5 |
| 6.1 Liner materials..... | 5 |
| 6.2 Composite materials..... | 5 |
| 7 Design and manufacture | 6 |
| 7.1 General..... | 6 |
| 7.2 Design submission..... | 6 |
| 7.3 Manufacturing..... | 7 |
| 8 Type approval procedure | 9 |
| 8.1 General requirements..... | 9 |
| 8.2 Prototype tests..... | 9 |
| 8.3 New design..... | 10 |
| 8.4 Design variants..... | 11 |
| 8.5 Type approval test procedures and criteria..... | 14 |
| 8.5.1 Proof pressure test..... | 14 |
| 8.5.2 Hydraulic volumetric expansion test..... | 14 |
| 8.5.3 Liner burst test..... | 15 |
| 8.5.4 Liner integrity test..... | 15 |
| 8.5.5 Cylinder burst test..... | 16 |
| 8.5.6 Ambient cycle test..... | 16 |
| 8.5.7 Environmental cycle test..... | 18 |
| 8.5.8 Flaw test..... | 20 |
| 8.5.9 Drop test..... | 22 |
| 8.5.10 High velocity impact (gunfire) test..... | 23 |
| 8.5.11 Fire resistance test..... | 24 |
| 8.5.12 Salt water immersion test..... | 25 |
| 8.5.13 Torque test..... | 26 |
| 8.5.14 Environmentally assisted stress rupture test..... | 26 |
| 8.5.15 Leak test..... | 27 |
| 8.5.16 Composite material mechanical properties tests..... | 27 |
| 8.5.17 Failure of type approval tests..... | 27 |
| 9 Batch inspection and testing | 28 |
| 9.1 General..... | 28 |
| 9.2 Liner..... | 28 |
| 9.3 Failure of liner batch tests..... | 29 |
| 9.4 Overwrap materials..... | 29 |
| 9.5 Composite cylinder..... | 29 |
| 9.6 Cylinder failure during type approval or batch testing..... | 31 |
| 10 Cylinder marking | 31 |
| 10.1 General..... | 31 |
| 10.2 Additional marking..... | 31 |
| Annex A (informative) Examples of design approval certificate | 33 |
| Annex B (informative) Specimen test reports | 35 |