
**Glass in building — Curved glass —
Part 2:
Quality requirements**

*Verre dans la construction — Verre bombé — Partie 2: Exigences de
qualité*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Quality requirements	1
4.1 General	1
4.2 Tolerances on the shape accuracy, girth and length	2
4.3 Edge straightness deviation (ΔR_B)	3
4.4 Maximum cross-curve deviation	3
4.5 Maximum twist deviation (V)	3
4.6 Appearance	4
4.7 Dimensional tolerances of curved laminated glass	5
4.8 Dimensional tolerances of curved insulating glass	6
5 Test methods	7
5.1 Measurement of shape accuracy, girth and length	7
5.2 Edge straightness deviation	7
5.3 Measurement of cross-curve deviation	8
5.4 Maximum twist deviation	9
5.5 Test method on appearance of curved glass	10
Bibliography	11