

---

**Measurement of radioactivity in the  
environment — Air: radon-222 —**

**Part 3:**

**Spot measurement method of the  
potential alpha energy concentration of  
its short-lived decay products**

*Mesurage de la radioactivité dans l'environnement — Air: radon 222 —*

*Partie 3: Méthode de mesure ponctuelle de l'énergie alpha potentielle  
volumique de ses descendants à vie courte*





**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

Foreword .....	iv
Introduction .....	v
1 Scope .....	1
2 Normative references .....	1
3 Terms, definitions and symbols .....	1
3.1 Terms and definitions .....	1
3.2 Symbols .....	2
4 Principle of the measurement method .....	3
5 Equipment .....	3
6 Sampling .....	4
6.1 General .....	4
6.2 Sampling objective .....	4
6.3 Sampling characteristics .....	4
6.4 Sampling conditions .....	5
7 Detection method .....	5
8 Measurement .....	5
8.1 Procedure .....	5
8.2 Influence quantities .....	6
8.3 Calibration .....	6
9 Expression of results .....	7
9.1 General .....	7
9.2 Potential alpha energy concentration .....	7
9.3 Standard uncertainty .....	7
9.4 Decision threshold .....	8
9.5 Detection limit .....	8
9.6 Limits of the confidence interval .....	9
10 Test report .....	9
Annex A (informative) Examples of gross alpha counting protocols .....	11
Annex B (informative) Calculation of the coefficients $k_{218\text{Po},j}$ , $k_{214\text{Pb},j}$ and $k_{214\text{Bi},j}$ .....	12
Annex C (informative) Measurement method using gross alpha counting according to the Thomas protocol .....	16
Bibliography .....	19