
**Ceramic tiles — Definitions, classification,
characteristics and marking**

*Carreaux et dalles céramiques — Définitions, classification,
caractéristiques et marquage*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	2
4 Classification	4
4.1 Basis of classification	4
4.2 Methods of manufacture	4
4.3 Water absorption according to group	4
5 Characteristics	5
6 Sampling and basis for acceptance	5
7 Requirements	5
8 Marking and specifications	5
8.1 Marking	5
8.2 Product literature	5
8.3 Specifications	5
9 Ordering	6
Annex A (normative) Extruded ceramic tiles with low water absorption $0,5 < E_b \leq 3$ % Group AI _b	10
Annex B (normative) Extruded ceramic tiles $3 \% < E_b \leq 6$ % Group AII _a — Subgroup (Part) 1	13
Annex C (normative) Extruded ceramic tiles $3 \% < E_b \leq 6$ % Group AII _a — Subgroup (Part) 2	16
Annex D (normative) Extruded ceramic tiles $6 \% < E_b \leq 10$ % Group AII _b — Subgroup (Part) 1	19
Annex E (normative) Extruded ceramic tiles $6 \% < E_b \leq 10$ % Group AII _b — Subgroup (Part) 2	22
Annex F (normative) Extruded ceramic tiles $E_b > 10$ % Group AIII	25
Annex G (normative) Dry-pressed ceramic tiles with low water absorption $E_b \leq 0,5$ % Group BI _a	28
Annex H (normative) Dry-pressed ceramic tiles with low water absorption $0,5 \% < E_b \leq 3$ % Group BI _b	31
Annex I (informative)	34
Annex J (normative) Dry-pressed ceramic tiles $3 \% < E_b \leq 6$ % Group BII _a	35
Annex K (normative) Dry-pressed ceramic tiles $6 \% < E_b \leq 10$ % Group BII _b	38
Annex L (normative) Dry-pressed ceramic tiles $E_b > 10$ % Group BIII	41
Annex M (normative) Extruded ceramic tiles with low water absorption $E_b \leq 0,5$ % Group AI _a	44
Annex N (informative) Classification of glazed tiles for floors according to their abrasion resistance	47
Annex O (informative)	48
Annex P (informative) Test methods	49
Annex Q (informative)	50
Annex R (informative) Symbols recommended for use	51
Bibliography	52