
**Geometrical product specifications
(GPS) — Inspection by measurement of
workpieces and measuring equipment —**

**Part 2:
Guidance for the estimation
of uncertainty in GPS measurement,
in calibration of measuring equipment
and in product verification**

*Spécification géométrique des produits (GPS) — Vérification
par la mesure des pièces et des équipements de mesure —*

*Partie 2: Lignes directrices pour l'estimation de l'incertitude dans les
mesures GPS, dans l'étalonnage des équipements de mesure et dans
la vérification des produits*



Reference number
ISO 14253-2:2011(E)



COPYRIGHT PROTECTED DOCUMENT

© ISO 2011

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	2
3 Terms and definitions	2
4 Symbols.....	4
5 Concept of the iterative GUM method for estimation of uncertainty of measurement	5
6 Procedure for Uncertainty MAnagement — PUMA.....	6
6.1 General	6
6.2 Uncertainty management for a given measurement process.....	6
6.3 Uncertainty management for design and development of a measurement process/procedure	7
7 Sources of errors and uncertainty of measurement.....	10
7.1 Types of errors	10
7.2 Environment for the measurement.....	12
7.3 Reference element of measurement equipment	12
7.4 Measurement equipment	12
7.5 Measurement set-up (excluding the placement and clamping of the workpiece).....	13
7.6 Software and calculations	13
7.7 Metrologist	13
7.8 Measurement object, workpiece or measuring instrument characteristic.....	13
7.9 Definition of the GPS characteristic, workpiece or measuring instrument characteristic	14
7.10 Measuring procedure.....	14
7.11 Physical constants and conversion factors	14
8 Tools for the estimation of uncertainty components, standard uncertainty and expanded uncertainty	14
8.1 Estimation of uncertainty components.....	14
8.2 Type A evaluation for uncertainty components	15
8.3 Type B evaluation for uncertainty components	15
8.4 Common Type A and B evaluation examples.....	17
8.5 Black and transparent box model of uncertainty estimation.....	20
8.6 Black box method of uncertainty estimation — Summing of uncertainty components into combined standard uncertainty, u_C	21
8.7 Transparent box method of uncertainty estimation — Summing of uncertainty components into combined standard uncertainty, u_C.....	21
8.8 Evaluation of expanded uncertainty, U, from combined standard uncertainty, u_C	22
8.9 Nature of the uncertainty of measurement parameters u_C and U.....	22
9 Practical estimation of uncertainty — Uncertainty budgeting with PUMA.....	23
9.1 General	23
9.2 Preconditions for an uncertainty budget	23
9.3 Standard procedure for uncertainty budgeting	24
10 Applications	26
10.1 General	26
10.2 Documentation and evaluation of the uncertainty value	27
10.3 Design and documentation of the measurement or calibration procedure	27
10.4 Design, optimization and documentation of the calibration hierarchy	28