

INTERNATIONAL
STANDARD

ISO
14556

First edition
2000-05-01

**Steel — Charpy V-notch pendulum impact
test — Instrumented test method**

*Aciers — Essai de flexion par choc sur éprouvette Charpy à entaille en
V — Méthode d'essai instrumenté*



Reference number
ISO 14556:2000(E)

© ISO 2000

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

© ISO 2000

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 734 10 79
E-mail: copyright@iso.ch
Web: www.iso.ch

Printed in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Symbols and abbreviated terms	3
5 Principle	4
6 Apparatus	4
7 Test Piece	6
8 Test procedure	6
9 Expression of results	7
10 Test Report	10
Annex A (informative) Designs of instrumented strikers and associated force-displacement curves	11
Annex B (informative) Example of support block for the calibration of a 2 mm striker	12
Annex C (informative) Formulae for the calculation of the proportion of ductile fracture surface	13
Bibliography	14