

First edition
2014-02-15

**Corrosion of metals and alloys —
Method of measuring the pitting
potential for stainless steels by
potentiodynamic control in sodium
chloride solution**

*Corrosion des métaux et alliages — Méthode de mesure du potentiel
de piqûre des aciers inoxydables par contrôle potentiodynamique en
solution de chlorure de sodium*



Reference number
ISO 15158:2014(E)

© ISO 2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
Introduction	v
1 Scope	1
2 Principle	1
3 Apparatus	1
3.1 Potentiostat.....	1
3.2 Electrode potential-measuring instrument.....	1
3.3 Current-measuring instruments.....	1
3.4 Specimen holder.....	2
3.5 Test cell.....	2
3.6 Auxiliary electrode.....	2
3.7 Reference electrode.....	2
4 Specimens	3
5 Procedure	3
5.1 Preparation of reference electrodes.....	3
5.2 Preparation of specimen.....	3
5.3 Preparation of solution.....	3
5.4 Setting up test.....	4
5.5 Recording.....	4
5.6 Ending test.....	5
6 Statistical analysis of pitting potential data	5
7 Test report	5
Annex A (informative) Specimen holder	7
Annex B (informative) An example of statistical analysis of pitting potential data	11
Bibliography	13