

---

**Paints and varnishes — Determination of release rate of biocides from antifouling paints —**

**Part 6:  
Determination of tralopyril release rate by quantitation of its degradation product in the extract**

*Peintures et vernis — Détermination du taux de lixiviation des biocides contenus dans les peintures anticalcaires —*

*Partie 6: Calcul du taux de lixiviation du tralopyril par quantification de son produit de dégradation dans l'extrait*

---

Reference number  
ISO 15181-6:2012(en)



Not for Resale

© ISO 2012



## COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
<b>Foreword</b>	iv
<b>Introduction</b>	v
<b>1 Scope</b>	1
<b>2 Normative references</b>	1
<b>3 Principle</b>	1
<b>4 Supplementary information</b>	2
<b>5 Apparatus</b>	2
<b>6 Reagents and materials</b>	2
<b>7 Test samples</b>	3
<b>8 Preparation of calibration standards</b>	3
8.1 General	3
8.2 Stock solution A	3
8.3 Stock solution B	3
8.4 Preparation of calibration standards from stock solutions	3
<b>9 Recovery and conversion check standards</b>	4
9.1 General	4
9.2 Stock solution C	4
9.3 Stock solution D	4
9.4 Preparation of recovery and conversion check standards	4
<b>10 Procedure</b>	5
10.1 General	5
10.2 Sample treatment	5
10.3 Preparation of chromatography eluent	5
10.4 Instrument calibration	5
10.5 Conversion and recovery determination	6
10.6 Sample determination	6
<b>11 Calculation and expression of results</b>	6
11.1 Calculation of the tralopyril concentration	6
11.2 Release rate for each test cylinder	7
11.3 Mean release rate for each set of three cylinders	8
11.4 Cumulative tralopyril release	8
11.5 Mean tralopyril release rate	8
11.6 Pseudo-steady-state mean tralopyril release rate	9
<b>12 Validation of the method</b>	9
<b>13 Test report</b>	9
<b>Annex A (normative) Supplementary information</b>	11
<b>Annex B (informative) Additional information on tralopyril and BCCPCA</b>	12
<b>Bibliography</b>	14