
**Microbeam analysis — Selected
instrumental performance parameters for
the specification and checking of energy-
dispersive X-ray spectrometers for use in
electron probe microanalysis**

*Analyse par microfaisceaux — Paramètres de performance
instrumentale sélectionnés pour la spécification et le contrôle des
spectromètres X à sélection d'énergie utilisés en microanalyse par
sonde à électrons*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	v
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Requirements	3
4.1 General description	3
4.2 Energy resolution	3
4.3 Dead time	3
4.4 Peak-to-background ratio	4
4.5 Energy dependence of instrumental detection efficiency	4
5 Check of further performance parameters	4
5.1 General	4
5.2 Stability of the energy scale and resolution	4
5.3 Pile-up effects	4
5.4 Periodical check of spectrometer performance	5
Annex A (normative) Measurement of line widths (FWHMs) to determine the energy resolution of the spectrometer	6
Annex B (normative) Determination of the L/K ratio as a measure for the energy dependence of the instrumental detection efficiency	9
Bibliography	11