

---

**Metallic materials — Method of test for  
the determination of quasistatic fracture  
toughness of welds**

*Matériaux métalliques — Méthode d'essai pour la détermination de la  
ténacité quasi statique à la rupture des soudures*



**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 0111  
Fax + 41 22 749 0947  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

Foreword .....	iv
1 Scope .....	1
2 Normative references .....	1
3 Terms and definitions .....	1
4 Symbols and units .....	3
5 Principle .....	3
6 Choice of specimen design, specimen orientation and notch location .....	4
6.1 Classification of target area for notching .....	4
6.2 Specimen design .....	4
6.3 Specimen and crack plane orientation .....	4
7 Pre-machining metallography .....	8
7.1 Microstructural assessment of macrosections .....	8
7.2 Additional requirements for heat-affected zone tests .....	9
8 Machining .....	9
8.1 Tolerances on specimen dimensions .....	9
8.2 Notch placement for through-thickness notched specimens .....	10
8.3 Notch placement for surface-notched specimens .....	10
8.4 Notch machining .....	10
9 Specimen preparation .....	15
9.1 Fatigue precracking .....	15
9.2 Side grooving .....	15
10 Test apparatus, requirements and test procedure .....	15
11 Post-test metallography .....	15
11.1 General .....	15
11.2 Through-thickness notched specimens .....	16
11.3 Surface-notched specimens .....	16
11.4 Assessment of pop-in .....	16
12 Post-test analysis .....	19
12.1 Choice of tensile properties .....	19
12.2 $K_{Ic}$ .....	20
12.3 $\delta$ and $J$ .....	20
12.4 Qualification requirements .....	20
13 Test report .....	24
Annex A (informative) Examples of notch locations .....	25
Annex B (informative) Examples of pre-test and post-test metallography .....	27
Annex C (normative) Residual-stress modification and precracking technique .....	29
Annex D (normative) Assessment of pop-in .....	31
Annex E (informative) Shallow-notched specimen testing .....	37
Bibliography .....	41