
**Glass in building — Basic soda lime
silicate glass products —**

**Part 2:
Float glass**

*Verre dans la construction — Verre de silicate sodocalcique —
Partie 2: Glace*





COPYRIGHT PROTECTED DOCUMENT

© ISO 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Dimensional requirements	3
4.1 Thickness.....	3
4.1.1 General.....	3
4.1.2 Tolerances.....	3
4.2 Length, width and squareness.....	4
4.2.1 Jumbo and split sizes.....	4
4.2.2 Supplied and final cut sizes.....	4
5 Quality requirements	5
5.1 General.....	5
5.2 Methods of observation and measurement.....	5
5.2.1 Optical faults.....	5
5.2.2 Visual faults.....	6
5.2.3 Edge defects for final cut sizes.....	7
5.3 Acceptance levels.....	8
5.3.1 Optical faults.....	8
5.3.2 Spot faults.....	8
5.3.3 Linear/extended faults.....	8
5.3.4 Edge defects for final cut sizes.....	9
6 Designation	9
Annex A (informative) Method for measuring the halo size of spot fault	10
Bibliography	12