

INTERNATIONAL
STANDARD

ISO
16463

Second edition
2014-05-01

Polycrystalline diamond inserts, tipped — Dimensions, types

Plaquettes brasées en diamant polycristallin — Dimensions, types

ISO 16463:2014(E)



Reference number
ISO 16463:2014(E)

© ISO 2014



COPYRIGHT PROTECTED DOCUMENT

© ISO 2014

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

	Page
Foreword	iv
1 Scope	1
2 Normative references	1
3 Insert shapes and design	1
3.1 Insert shapes	1
3.2 Normal clearance, α_n	1
3.3 Cutting edge corner	1
3.4 Tolerance class	1
3.5 Design of cutting edges	1
3.6 Insert type	2
4 Designation	2
4.1 General	2
4.2 Designation of a tipped insert for turning	2
4.3 Designation of a tipped insert for milling	2
5 Dimensions	2
5.1 Insert shape T with fixing hole (inserts for turning)	2
5.2 Insert shape T without fixing hole (inserts for turning)	4
5.3 Insert shape S with fixing hole (inserts for turning)	5
5.4 Insert shape S without fixing hole (inserts for turning)	5
5.5 Insert shape C with fixing hole (inserts for turning)	6
5.6 Insert shape D with fixing hole (inserts for turning)	8
5.7 Insert shape V with fixing hole (inserts for turning)	8
5.8 Insert shape S with fixing hole (inserts for milling)	9
5.9 Insert shape C with fixing hole (inserts for milling)	10
5.10 Insert shape W with fixing hole (inserts for turning)	10
6 Cutting edge length, l_1, of tipped inserts	11
6.1 General	11
6.2 Inserts with radius	11
6.3 Inserts with wiper edge	12
7 Base material, cutting material	12
8 Measurements	13
9 Marking	13
Annex A (informative) Relationship between designations in ISO 16463 and ISO/TS 13399-2	14