

INTERNATIONAL  
STANDARD

ISO  
16826

First edition  
2012-04-01

---

---

---

**Non-destructive testing — Ultrasonic  
testing — Examination for discontinuities  
perpendicular to the surface**

*Essais non destructifs — Contrôle par ultrasons — Contrôle des  
discontinuités perpendiculaires à la surface*



Reference number  
ISO 16826:2012(E)

© ISO 2012



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2012

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

	Page
<b>Foreword .....</b>	<b>iv</b>
<b>Introduction .....</b>	<b>v</b>
<b>1 Scope .....</b>	<b>1</b>
<b>2 Normative references .....</b>	<b>1</b>
<b>3 Terms and definitions .....</b>	<b>1</b>
<b>4 Tandem examination .....</b>	<b>1</b>
<b>4.1 General .....</b>	<b>1</b>
<b>4.2 Time base adjustment.....</b>	<b>2</b>
<b>4.3 Setting of sensitivity .....</b>	<b>3</b>
<b>4.4 Determination of examination zones.....</b>	<b>3</b>
<b>4.5 DGS-diagram for tandem examination.....</b>	<b>4</b>
<b>4.6 Corrections of sensitivity .....</b>	<b>5</b>
<b>4.7 Object with concentric surfaces .....</b>	<b>5</b>
<b>5 LLT-examination .....</b>	<b>7</b>
<b>5.1 General .....</b>	<b>7</b>
<b>5.2 Time base adjustment and determination of discontinuity depth .....</b>	<b>8</b>
<b>5.3 Setting of sensitivity .....</b>	<b>9</b>
<b>5.4 Determination of examination depth .....</b>	<b>9</b>
<b>5.5 DGS-diagrams for LLT-examination.....</b>	<b>11</b>
<b>5.6 Correction of sensitivity .....</b>	<b>11</b>
<b>Annex A (informative) Nomograms for determination of tandem distances for convex (Figure A.1) and concave (Figure A.2) scanning surface .....</b>	<b>12</b>